#### **The Global Water Cycle**

Accounting, Cycling, and Controls


#### (1) Accounting:

<b>Location</b>	$\underline{Amount} \ (km^3 \times 10^6)$
Rocks (unavailable)	150
Oceans	1,350
Ice	27.5
Groundwater	15.3
Lakes and Rivers	0.025
Atmosphere (vapor)	0.013


The Laurentian Great Lakes contain ~20% of all the world's freshwater



#### Freshwater is SCARCE!



#### **The Global Water Cycle**



#### (2) Cycling:

#### **Pathways:**

Precipitation, Evaporation, Vapor transport, Runoff

#### **Residence Times:**

- (A) Ocean  $R_T$  = (total in ocean) / (evaporation) =  $(1,350 \times 10^6 \text{ km}^3)$  /  $(0.425 \times 10^6 \text{ km}^3/\text{yr})$  = 3,176 years
- $(B) \ \ Calculate \ the \ atmospheric \ residence \ time = ?$

- (3) Controls:
  - (A) Human Consumption
  - (B) Temperature
    - 1. Glacier melting
    - 2. Sea level rise
    - 3. Changes in deep-water formation
  - (C) Land-use changes

### A. Human Consumption of Freshwater Local problems, soon to become regional problems


# Annual Global Water Withdrawals 2,500 WATER WITHDRAWN 2,600 PER CAPITA PER YEAR U.S. WATER WITHDRAWN PER YEAR U.S. WATER WITHDRAWN PER YEAR U.S. SWITZERLAND 1900 1900 1920 1940 1960 1980 2000 POR CAPITA PER YEAR U.S. CHANA JORDAN O CHANA O CHANA JORDAN O CHANA O CHANA JORDAN CHANA JORDAN O CHANA JORDAN JOR

#### B. Increasing Temperature is Melting Glaciers





# Increasing temperatures are raising the mean sea level






The flow of freshwater in rivers to the Arctic Ocean will likely increase as the temperature warms and glaciers melt.

This could place a "cap" on the sea and prevent deep-water from forming.



#### Increased freshwater input to the Arctic Ocean may prevent "deep-water formation"




#### Interactions in the Hydrological Cycle Low water levels on Lake Michigan in 2000






#### Reduced ice cover increased the amount of time for evaporation to lower the lake levels.




#### The Global Nitrogen Cycle

Accounting, Cycling, and Controls

#### (1) Accounting:




#### The Global Nitrogen Cycle – Pathways and Fluxes



#### (2) Cycling

#### Pathways and Reactions:



#### (2) Cycling

#### Fluxes and Residence Times:

- $R_T$  of  $N_2$  in the atmosphere = = (total in atm,  $10^{15}$ g) / (output,  $10^{15}$ g/yr) = (3,900,000) / (0.158)
  - = 24.68 Million years
- $R_T$  of  $NO_X$  (NO + NO<sub>2</sub>) in the atmosphere = (0.6) / (60) = 0.01 year = 3.6 days


#### (3) Controls -- examine the case of Acid Rain

(A)  $NO_x$  and Acid Rain  $NO + O_3$  (ozone)  $\longrightarrow$   $NO_2$  $NO_2 + OH \longrightarrow HNO_3$  (nitric acid)


HNO<sub>3</sub> dissociates in water to form H<sup>+</sup> and NO<sub>3</sub><sup>-</sup>

- (B) Sulfuric acid formation  $H_2SO_4 \longrightarrow 2 H^+ + SO_4^-$
- The  $H^{\scriptscriptstyle +}$  product in both reactions provides the "acidity"
- Acid Rain is caused by a combination of element cycles


#### Atmospheric chemical reactions that produce acid rain





## Chemical reactions with H<sup>+</sup> in the soil lead to loss of buffering capacity



#### H<sup>+</sup> input increases the output of cations like <u>Aluminum</u>










#### Many areas of the U.S. are sensitive to acid rain



#### Summary

- ${\boldsymbol \cdot}$  The hydrological cycle is influenced or controlled by temperature, land-use changes, and human consumption.
- Acid Rain is an important consequence of the nitrogen and sulfur cycles interacting. Acid rain is produced by the interactions of these and other elements in the atmosphere, and the impacts of acid rain are controlled by other element cycles on land and in the water.
- The main take-home message for today's lecture is:

"ELEMENT CYCLES INTERACT, and they cannot be studied in isolation"